

# zilenziO



Product sheet



Dezibel table



## Dezibel

## Table Screen



Dezibel has been developed to provide the best possible design with optimal dimensions for noise reduction between workplaces. The table screen provides an effective and creating working environment by lowering noise levels and improve the personal feeling. A solid wood frame with stone wool filling, covered with fabric featuring a concealed seam on the inner edge.



Removable fabric



Rounded corners



Straight corners

### DEZIBEL Table Screen

#### DIMENSIONS

Widths: 640, 740, 840, 940, 1000, 1200, 1400  
1600, 1800, 2000, 2200 mm

Widths US: 24, 30, 42, 48, 54, 60, 66, 72, 78, 84"

Height: 700 mm  
Height above table top with clamp bracket: 600 mm  
Thickness: 40 mm  
Corner: Straight or rounded R30 mm

Request a quotation for other sizes.

#### DESIGN

Frame construction of solid wood.  
Filling consisting stone wool, with the best sound-absorbing properties.

Attached to table with 2-3 table fittings.

#### ENVIRONMENT

Möbelfakta certified reg.no: 0120170605  
EN 1023-1:1996  
EN 1023-2:2000  
EN 1023-3:2000  
EN 14073-2

#### SOUND TESTS


SS-EN ISO 354, ISO 11654 Class A  
SS-EN ISO 354:2003 evaluated according to SS 25269

#### N10-values

Dezibel 2200	5,6
Dezibel 2000	6,2
Dezibel 1800	6,8
Dezibel 1600	7,7
Dezibel 1400	8,8
Dezibel 1200	10
Dezibel 940	13
Dezibel 840	14

#### OPTIONAL

- Removable fabric
  - Rounded corners
  - Hidden magnetic connection
  - Reinforced for toolbar
- Integrated or surface mounted toolbar are placed approximately 240 mm (9.4") above tabletop.  
Max weight 20 kg.



50 mm front screen  
60 mm side screen

#### ACCESSORIES

Monitor arm, LED Lamp, pen cup, shelf, nameplate etc.



### FIXTURES



**Clamp bracket**  
Gap 50 mm (1.9")




**Angle bracket 33**  
Length 33 mm (1.1")



**Angle bracket 45**  
Length 45 mm (1.8")



**Angle bracket 95**  
Length 95 mm (3.7")



**Corner fitting 90°**  
Depth 40 mm (1.6")


Length 1800 mm or longer use 3 brackets.  
For toolbar, always use 3 brackets.

### LAQUER

Standard colors Fixtures



Grey  
RAL 9006



White  
RAL 9016



Black  
RAL 9005

### DESCRIPTIVE TEXT

Example: Dezibel table screen straight from Zilenzio.  
The screen shall have a filling of stone wool of at least 40 mm  
Connection in corners between screens with hidden magnets.

#### Technical specification:

Size 1600 x 700 x 40 mm with 600 mm over tabletop.  
Straight corners. Upholstery Blazer Lite from Camira.  
Approved according to möbelfakta.  
Sound tested according to Swedish standard SS 25269  
N10-value at the maximum of 7,7.



## STANDARD FABRICS

---

We offer a variety of standard fabrics, each with unique characteristics to suit your needs. For a complete overview of the standard fabric options available for this product, please visit [Zilenzio.com](https://www.zilenzio.com).



## CARE INSTRUCTIONS

---

In order to preserve the color and appearance of the fabric, the fabric should be regularly vacuumed with a soft nozzle.

### Stain Removal for Polyester:

- Moisten the stain sparingly with a white clean cotton cloth, lukewarm water and possibly some pH neutral detergent.

### Stain Removal for Wool:

- Dot or gently wipe with a damp cloth.

# Zilenzio

Head Office  
Boställsvägen 6  
702 27 Örebro Sweden

Phone: +46 19 672 17 00  
Mail: [info@zilenzio.se](mailto:info@zilenzio.se)

[www.zilenzio.com](https://www.zilenzio.com)  
Facebook: Zilenzio  
Instagram: @zilenzio  
© 2020 Zilenzio